


Imagicle Advanced Queueing & Auto Attendant

User Guide

included in the Imagicle UCX Suite

Rel. Summer 2026



Index

Imagicle Advanced Queueing & Auto Attendant	1
User Guide	1
1 Introduction	4
1.1 Purpose of this document	4
1.2 Imagicle UCX Suite overview	4
2 Advanced Queueing – Users’ Web Portal	5
2.1 Advanced Queueing Queues page.....	6
2.1.1 Queue Settings	6
2.1.2 Time Table.....	8
2.1.3 Voice Messages.....	10
2.1.4 Call Distribution	11
2.1.5 Permissions	12
2.2 Advanced Queueing Agents Status page	13
2.3 Advanced Queueing Reports page	13
3 Auto Attendant for Advanced Queueing – Users’ web Portal	15
3.1 IVR Services page.....	15
3.1.1 IVR Service Wizard	16
3.1.2 Behaviors configuration	18
3.1.3 Auto Attendant Behavior Time Table.....	19
3.1.1 Auto Attendant Permissions	20
3.2 Auto Attendant Reports page	20
3.1 Auto Attendant Settings page	21

1 Introduction

1.1 Purpose of this document

This guide has been created to allow Imagicle Advanced Queueing & Auto Attendant administrators and superusers to access to queues configuration, operators' assignment and Auto Attendant call flows definition from Imagicle web portal.

The access is fully managed by an intuitive and easy to use web interface, available in seven different languages: English, German, French, Spanish, Italian, Polish and Arabic.

In an international multi-site environment, each user has a localized access to Imagicle web portal with his language.

1.2 Imagicle UCX Suite overview

Advanced Queueing and Auto Attendant are both included in the Imagicle UCX Suite, which provides a set of best in class applications empowering and simplifying existing collaboration offering.

The Imagicle UCX Suite addresses the needs of organizations from any vertical market, providing an awesome experience to all users, from their Jabber desktop and mobile clients, their IP Phones, browsers, and mobile devices (iOS-Android Smartphones & tablets).

All the applications can be accessed through an easy to use Web portal: Digital Fax, Call Analytics, Contact Manager, Attendant Console, Call Recording, and more.

The web interface provides users with a single integrated environment to get access to all functionalities by logging in once.

2 Advanced Queueing – Users’ Web Portal

Advanced Queueing provides its own web portal, accessible with your own credentials. Just open a supported web browser, like Firefox, Chrome or Safari, and enter the name or IP address of Imagicle server. This will bring the Imagicle Suite login page:



Welcome to
Imagicle UCX Suite

john.smith@company.com


Continue

Normally, users’ credentials are the same as Windows PC logon (Active Directory). Pls. contact your IT administrator for further details.

Once logged in, Imagicle UCX Suite main menu is displayed, showing all applications available to the users. Pls. click on “Advanced Queueing” icon to access to relevant web pages.



Welcome admin



IMPORTANT Based on your privilege, you could have access to a limited set of queue configurations (Global Supervisor) or have full control of all queues and operators (Complete Management). This guide shows all configurations available to Advanced Queueing administrators, with “Global Supervisor” or “Complete Management” permission level.

2.1 Advanced Queueing Queues page

First Advanced Queueing web page that appears is named “**Queues**”. This page displays the list of all available queues defined in the application.

There are two different types of queues:


- **Waiting Queue:** standard queueing service, which includes call queuing and distribution to one or several operators. Each queue is tied to a specific phone number identifying the automatic call distribution service where the routing incoming calls from the PBX. It is possible to define as many queues as the number of required services.
- **Camp-On Queue:** allows to directly transfer a call towards an internal number. If the number is busy, Advanced Queueing will keep the call waiting, and the caller will hear music on hold. When the destination number becomes available, the call is automatically transferred to that number.

This guide does not directly treat Camp-On queues, where the default one is usually enough for most environments.

By double-clicking on any queue line, you can access to queue’s relevant configuration, which includes five different tabs, each of them with own parameters.

2.1.1 Queue Settings

First tab is “Queue Settings” and it includes basic queue settings. See sample below.



Queue Settings	Time Table	Voice Messages	Call Distribution	Permissions
Basic Settings *				
Configure here the basic settings for this queue.				
Queue name	Technical Support ⓘ			
Queue phone number	1000 ⓘ → Queue’s pilot phone number			
Queue type	Waiting queue ⓘ			
Enabled	☒ ⓘ			
Queue priority	5 ⓘ → Priority level for the queue (1-10) when the same agent is receives calls from two or more queues			
Login/Logout phone number	1010 ⓘ → Call this number to toggle agents’ login/logout status			
	Forced Login Number: 10101 Forced Logout Number: 10100			
Max number of waiting calls	3 ⓘ → limit amount of waiting calls for this specific queue			
Maximum waiting time (sec.)	180 ⓘ → limit caller’s max waiting time (0 for unlimited)			
Save Cancel				
Behaviours tuning				

You can tweak above parameters, keeping in mind that any modification to Queue Pilot and login/logout number might require PBX routes change, too.

Note: if you don’t have full privileges on the queue, you are not allowed to change the Queue number and relevant Login/out numbers.

Queue Settings tab includes additional parameters related to “Behaviors tuning”. See below screenshot.

Queue Settings	Time Table	Voice Messages	Call Distribution	Permissions
Basic Settings				
Behaviours tuning *				
Use this section to set specific treatments of the calls in particular conditions.				
On queue overflow	Play message and drop		→ What if all licensed Adv Que channels are busy?	
On no available agents	Enqueue		→ What if no agents are logged in?	
For returned calls	Enqueue		→ For calls coming back from park/camp-on status	
On max wait time (sec.)	Play message and transfer		200	→ Overflow to operator or another queue
				Save Cancel

You can adjust those settings to change queue behavior when call can't be served by an agent. When a call should be overflowed to another destination, you can either specify a phone number or a SIP URI.

2.1.2 Time Table

"Time Table" tab allows to configure the queue behaviors based on time of the day. In this tab, administrator can define local queue's time zone, weekly queue's opening time (business hours), holidays or special events, including related treatments to apply. The combination of default behaviors, ordinary weekly schedule and special events/holidays makes the queue programming really flexible, allowing for example to provide specific voice prompts or trigger different behaviors in specific hours or days. See a below sample:

Queue Settings
Time Table
Voice Messages
Call Distribution
Permissions

Select the time zone to be used for this service. The daylight saving setting for the specified time zone will apply. Please, notice that if you change the time zone the existing schedules (weekly calendar, holidays and special events) will be applied accordingly.

Time zone: (UTC+01:00) Amsterdam, Berlin, Bern, Rome, Stockholm, Vienna → Select local time zone for specific queue

Programmed/Forced mode *

Set here the operational mode of the Queue

☒ Programmed mode based on Ordinary Week Schedule and Holiday settings
☐ Forced mode based on following settings

In forced mode Queue is → Choose to force queue status or use programmed time table

Closed queue settings

Incoming call treatment → Behavior when queue is closed

Voice message

Opened queue settings

Incoming call treatment → Behavior when queue is open

Voice message

Save
Cancel

Ordinary weekly schedule- (schedules configured)

Sets here the ordinary weekly opening hours and behaviours of the queue. This schedule can be overridden by holidays and special events defined below in the dedicated section.

Use global settings ☐

	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
06:00							
07:00							
08:00	Open	Open	Open	Open	Open		
09:00							
10:00							
11:00							
12:00							
13:00							
14:00							
15:00							
16:00							
17:00							
18:00							

→ Weekly standard opening time. Can be different for each day of the week

⌵ Show 24 hours

Holidays and special events- 2 event(s)

Sets here specific behaviours of the queue used during holidays or special events. These behaviours override the ordinary weekly schedule defined above. Notice that common holidays and events must be set in the specific configuration page, I

profile.

+ Add

NAME	SCHEDULED ON	QUEUE STATUS	ACTIONS
Type : Common holiday / event			
Christmas Day	25/12/2010 Full day Every year	Closed	Play message: Holiday goodbye Action:Play message and drop
New Year's Day	01/01/2014 Full day Every year	Closed	Play message: Holiday goodbye Action:Play message and drop

→ Holidays table. One time and recurring holidays. You can overflow a call to another destination, specifying a phone number or a SIP URI.

You can tweak above configuration and double check it by using "Test a scheduled behavior" option.

Note: you need to uncheck the "Use global settings" option in order to enable the calendar editing, otherwise the weekly view will display the global settings, that is not editable from this window. Administrators can configure the "Global Settings" by clicking on the Default Settings link on the menu.

2.1.3 Voice Messages

"Voice Messages" tab allows you to define and customize audio prompts and music on hold provided by the application to callers.


A set of pre-installed voice prompts are available in six languages (built-in prompts). You can listen to voice prompts directly from web browser, by clicking on speaker icon (requires a multimedia PC).

Queue Settings	Time Table	Voice Messages	Call Distribution	Permissions	
Use this section to configure the announcements and music loops played by default during the ordinary behaviours. Notice that these announcements can be overridden by the behaviours schedules specifying a different voice file for the specific schedule/event. Manage messages.. 					
Language Builtin and system messages language English 					→ Queue language setting, regulating voice prompts pull-down menus in "Time Table" and in "Voice Messages" tabs.
Welcome messages Welcome message Benvenuto - IT  Benvenuto centralino - IT  Can be interrupted ☐  On no available agents Benvenuto - IT  Benvenuto centralino - IT  ☒ Use default sett					→ This is the greeting prompt, first played while entering the queue → Prompt played if no agent is logged in
Closure messages Closure goodbye imagicle-chiusura-it-en  ☒ Use default sett					→ Prompt played during closing time
Holiday goodbye imagicle-chiusura-it-en  ☒ Use default sett					→ Prompt played during holidays
Wait messages Wait music iStock  Jingle per i video Imagicle  ☒ Use default sett					→ Music on hold, for callers in a waiting queue
Short wait message Italiano - Attesa breve  La invitiamo a rimanere in attesa, per non perdere la priorità acquisita  Delay (sec.) 30  Can be interrupted ☒  ☒ Use default sett					→ Courtesy message, played once during waiting time
Long wait message Italiano - Attesa lunga  Ci scusiamo per l'attesa ma gli operatori sono ancora occupati.  Loop interval (sec.) 40  Can be interrupted ☒  ☒ Use default sett					→ Courtesy message, periodically repeated during waiting time
Additional prompts Play the queue position 					→ Position in the queue message, periodically repeated during waiting time
Special cases On returned call BuiltIn - Welcome (return)  Welcome back! We will be taking your call as soon as possible.  ☒ Use default sett					→ Returned call: played when call queued from Camp-On.
On full queue Benvenuto - IT  Benvenuto centralino - IT  ☒ Use default sett					→ Queue full: message played before applying "Queue full" overflow.
On max wait time Italiano - Tempo massimo di attesa  Siamo spiacenti per l'attesa ma nessun operatore può rispondere al momento. La invitiamo a ricontattarci, buona giornata.  ☒ Use default sett					→ Max wait time: the message played before applying "On max wait time" overflow
Save Cancel					

To inhibit a specific voice prompt, just select the entry "None" in the drop-down selection list.


2.1.3.1 Manage Messages

Administrators can load and manage customized voice messages in a dedicated window, available by hitting "Manage messages..." link. A popup window allows to upload a new WAV or MP3 audio file from the client PC. If audio file format is not compliant, it is automatically converted. Each audio file is associated to a name (identifier) and an optional text transcript, useful to describe the content of the voice prompt. See sample below:



2.1.4 Call Distribution

In the "Call distribution" tab, administrators can set the agents/targets that will answer the calls of the current queue and the algorithm used by Advanced Queueing to dispatch calls to the available agents. Configured agents are represented in a tree view, grouped in escalation levels.



Use this section to set how incoming calls are dispatched to the agents or targets. You can define here the answer groups and the criteria used to distribute calls to the various agents/destinations.

Algorithm Type: **Sequential** → Distribution algorithm

Sub-selection policy: **linear sub-selection** → Further policy, available only for selected algorithms

Enable sticky Agent: ☒ → Enable automatic call routing to the agent who previously served the same calling party

Escalation Levels

- Escalation Level: 0
 - 1009 (Agent " ") → To engage different groups of agents, starting from lower level
 - 1004 (Agent " ") → Agents with CTI monitores extensions
 - 1108 (Agent " ") → Agents with CTI monitores extensions

Right click to add/remove groups or agents, drag and drop agents to reorder or assign to a different group. Press Save when done to apply changes.

Save Cancel

A right click activates a menu to add/delete escalation levels (groups) and single agents. When you select the "Add agent" option, a popup window lets you insert a new targets.

For more information about Advanced settings and available Advanced Queueing algorithms, please check Imagicle online [Administration guide](#).

2.1.4.1 Advanced Settings

Advanced Queuing's Call Distribution panel also includes an "Advanced Settings" section. See below most important parameters that you might need to tune according to your PBX or your agents' behaviors:

Advanced settings

Use this section to tune the distribution of incoming calls to the available agents.

Call transfer type Supervised i

Sticky Agent booking timeout (sec.) 60

No answer timeout (sec.) 20

Automatically logout agents on no answer ☐ i

Automatically logout agents with unreachable phones ☒ i

Transfer attempts every 0

Ignore agents telephony status ☐ i

Max consultation calls per agent 1

Caller name string \$\$PBXCALLERNAME\$\$ for
\$\$REDIRECTINGNAME\$\$ i

Caller number \$\$CALLERNUMBER\$\$ i

After call work - Wrap-up time (sec.) 0

☐ Use default settings

→ max wait time, trying to engage the Sticky Agent.

→ max consult transfer attempt time to engage agents.

→ Automatic agent logout upon not answering.

→ Automatic logout agents with offline phone device.

☒ Use default settings

☒ Use default settings

→ Max number of queued calls offered to an agent.

☒ Use default settings

☒ Use default settings

→ comfort interval assigned to agents after every call.

Save
Cancel

2.1.5 Permissions

Every agent included into the queue has specific queue permissions, depending on his/her role in the company. Click on the relevant "Permissions" tab to view and change levels, as below sample:

Queue Settings

Time Table

Voice Messages

Call Distribution

Permissions

Agents *

Permissions for agent users.

NAME	USERNAME	EXTENSION	PERMISSION
Bongiovanni Christian	christian_bongiovann	722	Queue base agent
Jordan Brian	room742	742	Queue manager

Other users

Permissions for normal users.

Add new user

Refresh

NAME	USERNAME	EXTENSION	PERMISSION
Valleriani Andrea	andrea_valleriani_im	212	Queue observer

In "Other users" section, you can assign a role to users that are not actual agents in the call distribution list. This allows, for example, to define Queue supervisors or observers.

For a detailed explanation on user roles and permissions, please check Imagicle online [Administration guide](#).

2.2 Advanced Queueing Agents Status page

Next Advanced Queueing web menu item is named “**Agents status**”. This page displays login status of each agent on relevant queues. There are two available status views: By agent or By Queue.


Advanced Queueing | Queues | Default Settings | **Agents status** | Reports | Scheduled Reports | Manage Service

To change the agent login status, just right-click on agent’s name.

2.3 Advanced Queueing Reports page

Next Advanced Queueing Web menu item is named **“Reports”**. This page grants the access to several statistical reports related to queues analysis and agents’ analysis. For each available report, you can apply specific filters by date, specific queues, specific agents/ext. numbers, call classification and termination cause. Each report can be

Advanced Queueing Queues Agents status **Reports** Scheduled Reports report sample.



Advanced Queueing includes scheduling features, to allow you to schedule most of the reports for automatic execution and email sending to one or multiple users. See sample below for Call Volume report scheduled to run once a week and sent to an email address as PDF or Excel attachment.

SCHEDULE

Report: Call Volume

Email subject: technical support service - Call Volume report

Email body: [[FILTER]]

Sent to: Email brian.jordan@company.com

Attach report as: Pdf ☒ Don't send email if report is empty


Recurrence: Start date 01/02/2016 Start time 09:00 Every 1 Weeks

Save **Cancel**


List of scheduled reports is available by clicking on **“Scheduled Reports”** menu option.

3 Auto Attendant for Advanced Queueing – Users' web Portal

Imagicle Auto Attendant allows you to define auto-attendant behaviors to interact with callers through DTMF (Press 1 for sales, 2 for support...), accessible from Imagicle web portal's main menu by clicking on "Auto Attendant" icon.



Welcome admin



IMPORTANT The access to Auto Attendant configuration is limited to administrators with full control permission level (Complete Management). This guide shows all configurations available to Auto Attendant administrators.

3.1 IVR Services page

First Auto Attendant web page that appears is named "Services". This page displays the list of all available Auto Attendant flows defined in the application. From here, you can add a new IVR, you can edit an existing Auto Attendant flow by clicking on pencil icon or you can delete an Auto Attendant service by clicking on waste basket icon.

IVR

[Services](#)
[Reports](#)
[Manage Service](#)

+ Add new IVR service
Refresh

NAME	PHONE NUMBER	
Echo service	665999	 
test J	5555	 
Test JG	123456	 

3.1.1 IVR Service Wizard

Auto Attendant for Advanced Queueing provides a very simple Auto Attendant creation wizard, which allows you to build a simple IVR call flow with multiple DTMF selections. When you click on “Add new Auto Attendant service” option, a new web page appears with three different options for Auto Attendant creation:

- **From wizard:** this is the suggested option for a quick and easy Auto Attendant flow creation, which guides you toward three steps to accomplish an Auto Attendant service.
- **From menu template:** this is the expert option to create more complex Auto Attendant scenarios, including multi-level call flow and multiple selections and overflow options.
- **Echo service:** this is for diagnostic purposes only

By selecting first option (wizard), a prompt asks you to enter the name of Auto Attendant service and pilot phone number to reach Auto Attendant service.

Add IVR service from wizard

Service name



Phone number



By clicking “Add”, you are guided to next step where you are requested to choose a “behavior” to be executed within your Auto Attendant service. You can choose among four possible options:

- **Menu:** this behavior plays a voice prompt which invites caller party to choose a specific option using phone’s DTMF numeric keypad. For each DTMF option, you can select a call transfer to a phone number or a queue; you can invoke another behavior, like a submenu, or you can play a voice prompt and hang-up.
- **Transfer to:** this behavior plays a voice prompt and transfer the call to a phone number or a queue
- **Play message:** this behavior simply plays a voice prompts and hangs up call.
- **Dial In:** This behavior requests caller party to enter the extension number of desired contact using phone keypad. If ext. is correct, call is transferred to extension. Else, a new phone number is requested.
- **Conversational IVR:** This behavior allows to trigger Voice Virtual Agent to take control of ongoing voice call and supply information to caller parties in self-service mode, based on voice transactions.

Add new behaviour

Choose which behaviour will be executed

	Menu	To define multi-level menu with choices (Press 1 for, 2 for,...)	>
	Transfer to	Transfer call to a specific destination	>
	Play message	Play message and hang up	>
	Dial in	Let the caller dial the extension number to be connected to	>
	Conversational IVR	Next generation omnichannel service Discover more	>

3.1.2 Behaviors configuration

See below a screenshot sample, where the script first plays a welcome (intro) wav file and then a menu prompt asking to enter DTMF selection among two possible company departments or, if you know direct extension, to enter its 3 digits using phone keypad.

Edit behaviour 'Main Menu'

Name: Main Menu
 Description: Company's autoattendant menu

Intro message: playmsg1.wav
 Menu message: playmsg21.wav

→ This is main behavior, including a 3 DTMF selections menu

1 Transfer to

Name: Transfer to Technical Support queue
 Intro message: PreTransfer.wav
 Transfer to: 1000
 Retry transfer: ☒ 3 times
 play before each attempt: RetryTransfer.wav
 On failure, play: TransferError.wav
 and then: Repeat Menu

→ Option 1 transfers the call to queue #1000

2 Submenu

Name: Submenu for Sales dept.
 Intro message: head.wav
 Menu message: playmsg22.wav

→ Option 2 invokes a submenu including 2 DTMF selections

1 Mr. Bean (201)
 2 Mr. White (202)

→ Submenu's option 1 transfers call to ext. #201
 → Submenu's option 2 transfers call to ext. #202

3 Dial in

Name: Dial extension number
 Intro message: playmsg22.wav
 Digits collection options:
 Pre digit selection message: PreDigitsCollection.wav
 Collect at least: 3 up to 3 digits
 Terminate collection on #: ☐
 Collect digits for maximum: 10 seconds
 Retry collection: ☒ 3 times
 play before each attempt: RetryDigitsCollection.wav
 On collection failure, play: DigitsCollectionError.wav
 and then: Repeat Menu

→ Option 3 requests to enter a 3-digit extension number

Transfer options:
 Pre transfer message: PreTransfer.wav
 Transfer prefix (optional):
 Retry transfer: ☒ 3 times
 play before each attempt: RetryTransfer.wav
 On failure, play: TransferError.wav
 and then: Repeat Menu

→ Call is transferred to entered phone number, with optional prefix.

+ <- add a new item

Timeout and Invalid options

No selection: Up to 3 times
 Wrong selection: indefinitely

Save Close

3.1.3 Auto Attendant Behavior Time Table

Auto Attendant for Advanced Queueing allows you to configure, for each Auto Attendant behavior, a specific weekly time table including opening times for each day of the week, in the local time zone. A holiday table allows you to add calendar holidays for recurring events or one-time events during the year. See sample below.

IVR settings

Behaviours

Time table

Permissions

Select the time zone to be used for this service. The daylight saving setting for the specified time zone will apply. Please, notice that if you change the time zone the existing schedules (weekly calendar, holidays and special events) will be applied accordingly.

Time zone: **Server time zone ((UTC+01:00) Amsterdam, Berlin, Bern, Rome, Stockholm, Vienna)** 

Ordinary Weekly Schedule 

Configure here the ordinary weekly opening hours and behaviours of the IVR service. This schedule can be overridden by holidays and special events defined below in the dedicated section.

 Schedule a behaviour

	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
06:00							
07:00							
08:00							
09:00	08:30 - 13:00 Main IVR Menu	08:30 - 13:00 Main IVR Menu	08:30 - 13:00 Main IVR Menu	08:30 - 13:00 Main IVR Menu	08:30 - 13:00 Main IVR Menu	09:00 - 11:30 Main IVR Menu	
10:00							
11:00							
12:00							
13:00							
14:00							
15:00	14:30 - 18:30 Main IVR Menu	14:30 - 18:30 Main IVR Menu	14:30 - 18:30 Main IVR Menu	14:30 - 18:30 Main IVR Menu	14:30 - 18:30 Main IVR Menu		
16:00							
17:00							
18:00							

 Show 24 hours

Outside of defined schedules, execute the following behaviour: **Company Closed** 

Holidays and special events 

 Add

NAME	START	END	REPEAT	BEHAVIOUR
New Year's Day	31/12/2016 00:00	01/01/2017 23:59	Every year	 Menu  

During Auto Attendant opening time, the relevant Auto Attendant behavior will be executed. During closing time outside working hours or due to holiday event, it is possible to select a specific behavior to be executed, like a simple voice prompt or a call transfer to an off-shift operator.

3.1.1 Auto Attendant Permissions

Auto Attendant for Advanced Queueing allows you to configure, for each Auto Attendant service, one or more IVR Managers. These users configured in “Permissions” tab can apply modifications to the IVR Service, like changing behaviours, voice prompts and timetable. Moreover, they can run Auto Attendant reports with a data visibility restricted to those IVR Services they are managing.

IVR settings	Behaviours	Time table	Permissions	
+ Add new manager				Refresh
NAME	USERNAME	EXTENSION		
Tommaso Fioravanti	tommaso_fioravanti_i	229		
Andrea Rivaben	andrea_rivaben_imagi	735		
Andrea Sonnino	andrea_sonnino_imagi	731		

3.2 Auto Attendant Reports page

Second Auto Attendant web page you can select from main Auto Attendant menu is “[Reports](#)”. This page, available to administrators and IVR Managers, displays a list of available reports to execute for retrieving traffic information about number of accesses to Auto Attendant services and a detailed list of caller numbers. This is useful to better understand who access to Auto Attendant services, for how long it remains inside call flow and the final outcome. For each available report, you can apply specific filters by date, specific Auto Attendant service and relevant behavior, call classification and termination cause. Each report can be exported to CSV/Excel or PDF file.

All reports (except Interactive Call Detail Analysis) can be scheduled for automatic periodical execution and email delivery.

Auto Attendant | Services | [Reports](#) | Scheduled Reports | Settings | Manage Service



Public Reports

IVR Analysis

Call Volume by Service - Show number of calls and wait duration per service and per outcome

Call Volume by Service and Behaviour - Show number of calls and wait duration per service, per behaviour and per outcome

Trends - Show the number of calls per outcome and time trend

Busy Channels analysis - Show busy channels statistics including average and max channel occupation over the day

Call List - Show call detail records

Interactive Call Detail Analysis - Search call details in an interactive grid

List of scheduled reports is available by clicking on “[Scheduled Reports](#)” menu option.

3.1 Auto Attendant Settings page

Fourth Auto Attendant web page you can select from main Auto Attendant menu is “[Settings](#)”. From this page, you can set the retention (days) of global call data records related to Auto Attendant traffic. If this parameter is set to 0 days, then the retention is unlimited.

