imagicle[,]

Adding a node to an existing cluster

Before starting

Warning: when you add a node to a cluster you will lose all the data that is on that node.

Before you try to add a node to a cluster, ensure that:

- The new node has **the same UC Suite version of the other nodes** in the cluster, otherwise you won't be able to complete the procedure
- The node is already configured to use the desired database server (you can check this through Support web page)
- If the cluster is using the *Replicated Database* strategy, there's enough free disk space on the machine to contain at least twice the size of the database of a node that already belongs to the cluster.

You should notice also that **during this procedure all the applications of the Suite will be stopped and unavailable on this node**.

Procedure

To add a node to a cluster, log in as administrator in that node's UC Suite and click on Admin -> High Availability.

High A	vailability Cluster	Step 1 of 2
This ser	ver does not belong to a	ny high availability cluster.
۲	Add to existing Cluster	Choose this option if you have already created an high availability cluster, which you want to join this node to. This node will be completely reconfigured with the destionation cluster's configuration. Please, pay attention that this node's local data will be overwritten.
٢	New Cluster	Choose this option to create a new high availability cluster, using this server's current configuration as master source for all other nodes that will be joined later. All cluster's nodes must have the same Imagicle Application Suite versions.
		Next

Choose Add to existing Cluster and click Next.

On the next page you choose one of the IP addresses of the machine. This becomes the address used by the other nodes of the cluster to communicate with this node.

Starting from 2022.Spring.1 release, Imagicle High Availability supports IPv6 addressing too. If you choose this addressing type, please remember that all nodes should be added with same IPv6 addressing.

imagicle[•]

Join an Existing Cluster	Step 2 of 2
Choose this node's IP address which will be used by othe 192.168.150.133 ▼	er cluster's nodes to comunicate with:
Enter the IP address of a node that belongs to the cluste nodes must have the same Application Suite version. 192.168.150.132	er you want to join. All

Then you must enter the IP address of an existing node (chosen from the displayed nodes list) of the cluster you want to join. That node must remain up and running until the end of this procedure.

When you click *Next* and confirm your choices, the node addition procedure starts. It may take a long time, depending on the amount of data contained at that moment in the cluster (this procedure automatically creates a backup of source node's database, download and restore it to the node to be added). As a coarse idea, the first node that joins an existing cluster could take 16 minutes per GB of database size. Nodes that join later, could take 3 minutes per GB.

Joining cluster		
	Downloading configuration from the cluster. The operation may take a long time, please wait	
 Applications are currently Upon comp 	stopped and must not be used un pletion, they will be automatically	ntil the operation is complete. started.

When the procedure is complete, the node displays a *success notification*, but if the addition fails it displays a *failure notification*.

imagicle[.]

	while we do have seen of the following data and the structure first increase structure in the structure in the	
	high availability mode.	
~	To apply the new configuration, restart all the other Imagicle servers that belong to the cluster.	
	To manage the nodes, follow the steps described in the Imagicle guide.	

From now on, the summary page shows the list of all the nodes in the cluster (including the node that you just added). IP addresses are shown in IPv4 or IPv6 format, as they were added in the cluster.

Local node belongs to a high availability cluster.

WIN-NODO2 (Local Node)	fd00::99b2:a140:9439:995e	
WIN-6CMR208EMS7	fd00::99b2:a140:9439:991e	
NODE	IP ADDRESS	
Add a new node to this cluster		

Database Synchronization Strategy: Replicated 🗊

Pls. keep in mind that above cluster's NODE ID corresponds to Imagicle server's host name. You can later change host name, if required; just beware that NODE ID will remain unchanged (with initial host name).

Now, in order to propagate the topology change to all the other nodes, you should restart all of them, one by one.

Next, please be aware you must re-configure some node-specific parameters:

- PBX connection(s), like SIP/H.323 trunks, FTP/Telnet, Routing rules, etc.
- Proxy settings
- Launch a DB maintenance, if required, from Support web page
- SMTP parameters
- Monitoring parameters, including email and SNMP notifications configuration
- Numbering plan settings
- VoiceMail pilot
- Contact Manager's custom fields
- Email templates related to Digital Fax, VoiceMail and Call Recording applications

Known limitations

There are some actions an administrator won't be able to do on a cluster:

- On UC Suite versions lower than Summer 2015, you can't remove a node from a cluster.
- Once a node is part of a cluster, you can't change its IP Address.
- You can't change cluster's NODE IDs. To change NODE ID, please contact Imagicle Support.
- You can't restore a UC Suite backup to a cluster node: data integrity is granted by the cluster itself.

imagicle[.]

For any problem regarding one of the activities above, you can contact Imagicle Technical Support.